

# Products Catalogue

RFID Silicone Wristband Series .....	2
RFID Nylon Wristband Series .....	10
RFID Plastic Wristband Series .....	11
RFID PVC Wristband Series .....	12
RFID Disposable Paper Wristband Series .....	13
RFID Disposable PVC Wristband Series .....	14
RFID Active Wristband Series .....	16
RFID Laundry Tag Series .....	17
RFID Electronic Tag Series .....	19
RFID Key Tag Series .....	22

RFID SILICONE WRISTBAND SERIES							
<b>Picture</b>							
<b>No.</b>	GJ001	GJ002	GJ003	GJ004	GJ005	GJ006	GJ007
<b>Model</b>	Oval Head	Oval Head	Oval Head	Oval Head	Oval Head	Oval Head	Oval Head
<b>Size</b>	Φ 45mm	Φ 50mm	Φ 55mm	Φ 60mm	Φ 65mm	Φ 70mm	Φ 72mm
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√
<b>N.W.</b>	8.80g	9.40g	10.30g	10.70g	11.00g	12.95g	13.30g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ008	GJ009	GJ010	GJ011	GJ012	GJ013	GJ014
<b>Model</b>	Oval Head	Round Head	Round Head	Round Head	Round Head	Oblate Head	Oblate Head
<b>Size</b>	Φ74mm	Φ55mm	Φ62mm	Φ65mm	Φ74mm	Φ55mm	Φ62mm
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√
<b>N.W.</b>	13.60g	12.90g	13.50g	13.90g	14.90g	10.80g	11.40g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ015	GJ016	GJ017	GJ018	GJ019	GJ020	GJ021
<b>Model</b>	Oblate Head	Oval Head (thick)	Oval Head (thick)	Semicircle	Semicircle	Semicircle	Semicircle
<b>Size</b>	Φ67mm	Φ53mm	Φ59mm	Φ72mm (180mm)	Φ77mm (195mm)	Φ82mm (210mm)	Φ87mm (225mm)
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√
<b>N.W.</b>	12.95g	8.04g	8.55g	14.0g	14.2g	14.4g	14.6g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ022	GJ023	GJ024	GJ025	GJ026	GJ027	GJ028
<b>Model</b>	Semicircle Head	Semicircle Head	Semicircle Head	Circle	Circle	Oblate Head	Oval Head
<b>Size</b>	Φ 55mm	Φ 60mm	Φ 70mm	Φ 61mm	Φ 67mm	Circumference: 195mm	Φ 77mm
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√
<b>N.W.</b>	11.6g	12g	14.70g	25.50g	27.15g	10.38g	20.60g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ029	GJ030	GJ031	GJ032	GJ033	GJ034	GJ035
<b>Model</b>	Circle	Circle	BOBO	Dual colors BOBO	Lotus type	Watch Buckle	Watch Buckle
<b>Size</b>	Φ60mm	Φ65mm	260*17*3mm	233*17*3mm	233*40*16mm	231.5*35*20mm	300*35*20mm
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	-	-	√	√	√	√	√
<b>HF CHIP</b>	-	-	√	√	√	√	√
<b>UHF CHIP</b>	-	-	√	√	√	√	√
<b>N.W.</b>	10.4g	11.70g	16g	15.2g	14.5g	17.00g	19.45g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

Temp.							
-------	--	--	--	--	--	--	--

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ036	GJ037	GJ038	GJ039	GJ040	GJ041	GJ042
<b>Model</b>	Open Loop (8 holes)	Open Loop (11 holes)	Temper Button (11 holes)	Temper Button (15 holes)	Watch Buckle (dual frequency)	Watch Clasp	Biocolor
<b>Size</b>	240*31*19mm	240*31*19mm	240*37*22mm	240*37*22mm	242*33.5*16.5mm	260*27*21mm	260*22*3mm
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	√	√	√	LF CHIP +HF CHIP	√	√
<b>HF CHIP</b>	√	√	√	√	LF CHIP +UHF CHIP	√	√
<b>UHF CHIP</b>	√	√	√	√	HF CHIP +UHF CHIP	√	√
<b>N.W.</b>	17.30g	17.15g	17.90g	17.80g	23.80g	20g	23.60g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn


<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃
----------------------	-----------	-----------	-----------	-----------	-----------	-----------	-----------

<b>RFID SILICONE WRISTBAND SERIES</b>							
<b>Picture</b>							
<b>No.</b>	GJ043	GJ044	GJ045	GJ046	GJ047	GJ048	GJ049
<b>Model</b>	Watch Buckle	Oval Head (dual frequency)	Open Loop	Clap	Open Loop	Hemp Flower	Oblate Head
<b>Size</b>	235*40*20mm	Φ72mm	240*44.39*30mm	280*32*28mm	260*21*12.5mm	Φ65mm	Circumference: 167mm
<b>Embed way</b>	one-step moulding	secondary forming	secondary forming	one-step moulding	one-step moulding	one-step moulding	one-step moulding
<b>LF CHIP</b>	√	LF CHIP +HF CHIP	√	√	√	√	√
<b>HF CHIP</b>	√	LF CHIP +UHF CHIP	√	√	√	√	√
<b>UHF CHIP</b>	√	HF CHIP +UHF CHIP	√	√	√	√	√
<b>N.W.</b>	26.50g	13.70g	16.80g	32.50g	13.55g	26.5g	7.41g



<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

### RFID SILICONE WRISTBAND SERIES

<b>Picture</b>							
<b>No.</b>	GJ050						
<b>Model</b>	Oblate Head						
<b>Size</b>	Circumference: 184mm						
<b>Embed way</b>	one-step moulding						
<b>LF CHIP</b>	√						
<b>HF CHIP</b>	√						
<b>UHF CHIP</b>	√						
<b>N.W.</b>	7.95g						

<b>Packing</b>	100pcs/polybag 1000pcs/ctn						
<b>Working Temp.</b>	-30℃~220℃						

<b>RFID Nylon Wristband Series</b>								
<b>Picture</b>								
<b>No.</b>	NL001	NL002	NL003	NL004	NL005	NL006	NL007	NL008
<b>Model</b>	Velcro Tape	Velcro Tape	Buckle	Watch Buckle	Curved buckle	Curved buckle	Watch Buckle	Velcro Tape
<b>Size</b>	245*37*16mm	280*37*20mm	265*37*16mm	265*37*16mm	260*26*19mm	350*25*15mm	265*37*15mm	280*37*20mm
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√	√
<b>N.W.</b>	7.18g	13.50g	10.40g	9.85g	11.00g	4.50g	11.50g	13.35g

<b>Packing</b>	100pcs/polybag g 1000pcs/ctn	100pcs/polybag g 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag g 1000pcs/ctn	100pcs/polybag ag 1000pcs/ctn	100pcs/polybag ag 1000pcs/ctn	100pcs/polybag bag 1000pcs/ctn	100pcs/polybag ag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃

### RFID Plastic Wristband Series

<b>Picture</b>								
<b>No.</b>	SJ001	SJ002	SJ003	SJ004	SJ005	SJ006	SJ007	SJ008
<b>Model</b>	Oval Head	Oval Head	Oval Head	Oval Head	Watch Buckle	Watch Buckle	Watch Buckle	Watch Buckle
<b>Size</b>	Φ45mm	Φ65mm	Φ65mm	Φ77mm	258*37*16mm	220*34*16mm	220*34*16mm	265*20.5*11.5mm
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√	√

<b>N.W.</b>	14.30g	16.00g	17.10g	22.40g	13.50g	14.00g	13.50g	21.30g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30°C~75°C	-30°C~75°C	-40°C~85°C	-40°C~85°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C

### RFID PVC Wristband Series

<b>Picture</b>							
<b>No.</b>	PVC004	PVC005	PVC006	PVC008	PVC009		
<b>Model</b>	Watch Buckle	Watch Buckle	Watch Buckle	Anti-tamper button	Watch Buckle		
<b>Size</b>	248*35*15mm	238*35*15mm	224*35*20mm	240*37*22mm	212*33*15mm		
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding		
<b>LF CHIP</b>	✓	✓	✓	✓	✓		
<b>HF CHIP</b>	✓	✓	✓	✓	✓		
<b>UHF CHIP</b>	✓	✓	✓	✓	✓		






<b>N.W.</b>	20.50g	22.00g	10.9g	27.20g	14.75g		
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn		
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃		

### RFID Disposable Paper Wristband Series


<b>Picture</b>							
<b>No.</b>	ZZ001	ZZ002	ZZ003	ZZ004	ZZ005	ZZ006	
<b>Model</b>	Disposable Button	Disposable Button	Disposable Button	Disposable Button	Disposable Button	Disposable Button	
<b>Size</b>	208*25*13.5mm	250*25*14mm	247*24*14mm	299*26*17mm	240*52*26mm	255*25mm	
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	
<b>LF CHIP</b>	-	-	-	-	-	-	
<b>HF CHIP</b>	√	√	√	√	√	√	
<b>UHF CHIP</b>	√	√	√	√	√	√	

<b>N.W.</b>	1.08g	1.20g	1.21g	1.42g	1.58g	0.37g	
<b>Packing</b>	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	-30℃~75℃	

### RFID Disposable PVC Wristband Series

<b>Picture</b>							
<b>No.</b>	PVC1001	PVC1002	PVC1003	PVC1004	PVC1005	PVC1006	PVC1007
<b>Model</b>	Disposable\Reusable Button	Disposable\Reusable Button	Disposable\Reusable Button	Disposable\Reusable Button	Disposable\Reusable Button	Disposable\Reusable Button	Disposable\Reusable Button
<b>Size</b>	208*25*14mm	248*25*13mm	246*24*12mm	295*26*17mm	240*50*25mm	295*24*13mm	257*25*13mm
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√

<b>UHF CHIP</b>	✓	✓	✓	✓	✓	✓	✓
<b>N.W.</b>	2.30g	2.88g	3.38g	4.15g	3.96g	4.2 g	2.50g
<b>Packing</b>	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn
<b>Working Temp.</b>	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C	-30°C~75°C

<b>RFID Disposable PVC Wristband Series</b>							
<b>Picture</b>							
<b>No.</b>	PVC1008	PVC1009	PVC1010				
<b>Model</b>	Disposable\Reusable Button	Disposable\Reusable Button	Dial with dual holes				
<b>Size</b>	338*28*26mm	290*20*11mm	42*26*2mm				
<b>Embed way</b>	secondary forming	secondary forming	secondary forming				
<b>LF CHIP</b>	✓	✓	✓				
<b>HF CHIP</b>	✓	✓	✓				

<b>UHF CHIP</b>	✓	✓	✓				
<b>N.W.</b>	3.40g	0.50g	2.20g				
<b>Packing</b>	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn	100pcs/polybag 3000pcs/ctn				
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃	-30℃~75℃				

<b>RFID Active Wristband Series</b>							
<b>Picture</b>							
<b>No.</b>	YY001	YY002					
<b>Model</b>	Anti-temper Charge	Anti-temper Normal					
<b>Size</b>	180*35*16mm (Φ 70mm)	180*35*16mm (Φ 70mm)					
<b>Embed way</b>	secondary forming	secondary forming					



<b>LF CHIP</b>	✓	✓					
<b>HF CHIP</b>	✓	✓					
<b>UHF CHIP</b>	✓	✓					
<b>N.W.</b>	21g	21g					
<b>Packing</b>	10 pcs /bag 1000pcs/ctn	10 pcs /bag 1000pcs/ctn					
<b>Working Temp.</b>	-30℃~75℃	-30℃~75℃					

### RFID Laundry Tag Series

<b>Picture</b>							
<b>No.</b>	XY001	XY002	XY003	XY004	XY005	XY006	XY007
<b>Model</b>	PPS	PPS	PPS	Silicone	PPS	PPS	PPS
<b>Size</b>	Φ 20mm*2.1mm	Φ 23.5mm*2.1mm	24*29*2.1mm	85*27*4mm	Φ 24mm*2.5mm	Φ 24mm*2.5mm	Φ 21mm*3mm
<b>Embed</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding

<b>way</b>							
<b>LF CHIP</b>	✓	✓	✓	✓	✓	✓	✓
<b>HF CHIP</b>	✓	✓	✓	✓	✓	✓	✓
<b>UHF CHIP</b>	-	✓	✓	✓	✓	✓	✓
<b>N.W.</b>	1.10g	1.50g	1.60g	10.20g	1.50g	1.50g	1.50g
<b>Packing</b>	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30°C~220°C	-30°C~220°C	-30°C~220°C	-30°C~75°C	-30°C~220°C	-30°C~220°C	-30°C~220°C

### RFID Laundry Tag Series

<b>Picture</b>							
<b>No.</b>	XY008	XY009	XY010	XY011	XY012		
<b>Model</b>	PPS	Silicone	Silicone	PPS	PPS		
<b>Size</b>	Φ 24mm*3mm	56*20*2mm	55*12*2.5mm	Φ 18mm*2.1mm	Φ 15mm*2.1mm		

<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding	one-step moulding		
<b>LF CHIP</b>	√	√	√	√	√		
<b>HF CHIP</b>	√	√	√	√	√		
<b>UHF CHIP</b>	√	√	√	√	√		
<b>N.W.</b>	1.50g	3.00g	2.05g	1.00g	0.90g		
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn		
<b>Working Temp.</b>	-30°C~220°C	-30°C~75°C	-30°C~75°C	-30°C~220°C	-30°C~220°C		

### RFID Electronic Tag Series

<b>Picture</b>							
<b>No.</b>	DZ001	DZ002	DZ003	DZ004	DZ005	DZ006	DZ007
<b>Model</b>	Animal Ear Tags	Animal Ear Tags	Coin Tag	Electronic foot ring	Electronic foot ring	Seal Tag	Nail Tag


<b>Size</b>	Male Button:30x15mm Female Button:30x23.5mm	Male Button:70x57x13mm Female Button:30x23.3mm	Φ30mm	11*12mm (Φ8.5mm)	22*35mm (Φ15~20mm)	353*24.2mm	36*6mm
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	√	√	√	√	√	√	√
<b>N.W.</b>	5.6g	10.3g	2.3g	1.0g	4.0g	4.3g	1.9g
<b>Packing</b>	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~75℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~75℃	-30℃~75℃

### RFID Electronic Tag Series

<b>Picture</b>							
----------------	---	---	--	---	---	---	---





No.	DZ008	DZ009	DZ010	DZ011	DZ012	DZ013	DZ014
<b>Model</b>	Gun Bullet Tags	On Metal Tags	On Metal Tags	Nail Tag	Nail Tag	Nail Tag	Animal Ear Tags
<b>Size</b>	18.8*6.4mm	135*22*13mm	85*24*4mm	22*37*3.8mm	25*37*3.8mm	28*37*3.8mm	Male Button:30x13.5mm Female Button:30x23.5mm
<b>Embed way</b>	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming	secondary forming
<b>LF CHIP</b>	√	√	√	√	√	√	√
<b>HF CHIP</b>	√	√	√	√	√	√	√
<b>UHF CHIP</b>	-	√	√	√	√	√	√
<b>N.W.</b>	0.8g	17.50g	7.2g	1.98g	2.28g	2.51g	6.20g
<b>Packing</b>	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn	100pcs/polybag 1000pcs/ctn
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~220℃

### RFID Electronic Tag Series

RFID Electronic Tag Series							
<b>Picture</b>							

<b>No.</b>	DZ015						
<b>Model</b>	Seal Tag						
<b>Size</b>	375*28.3mm						
<b>Embed way</b>	secondary forming						
<b>LF CHIP</b>	√						
<b>HF CHIP</b>	√						
<b>UHF CHIP</b>	√						
<b>N.W.</b>	6.00g						
<b>Packing</b>	100pcs/polybag 1000pcs/ctn						
<b>Working Temp.</b>	-30°C ~ 220°C						

**RFID Key Tag Series**

<b>Picture</b>							
<b>No.</b>	YS001	YS002	YS003	YS004			
<b>Model</b>	Silicone	Silicone	Silicone	PVC			
<b>Size</b>	25mm*35mm	30mm*42mm	30mm*35mm	47mm*42mm			
<b>Embed way</b>	one-step moulding	one-step moulding	one-step moulding	one-step moulding			
<b>LF CHIP</b>	√	√	√	√			
<b>HF CHIP</b>	√	√	√	√			
<b>UHF CHIP</b>	-	-	√	√			
<b>N.W.</b>	6.00g	7.40g	7.50g	7.50g			
<b>Packing</b>	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn	100pcs/polybag 2000pcs/ctn			
<b>Working Temp.</b>	-30℃~220℃	-30℃~220℃	-30℃~220℃	-30℃~75℃			